

### 平鋼(SS400)

幅 (mm)	厚さ (mm)																
	3	4.5	6	9	12	14	16	19	22	25	28	32	36	38	40	45	50
9	◎																
13	◎	◎	◎														
16	◎	◎	◎	◎													
19	◎	◎	◎	◎													
20	○																
22	◎	◎	◎	◎													
25	◎	◎	◎	◎	◎		◎	◎									
32	◎	◎	◎	◎	◎		◎	◎	◎	◎							
38	◎	◎	◎	◎	◎		◎	◎	◎	◎							
44	◎	◎	◎	◎	◎		◎	◎	◎								
50	◎	◎	◎	◎	◎	○	◎	◎	◎	◎	◎	◎	◎				
55		◎	◎	◎													
60		◎	◎	◎	◎		◎	◎									
65	◎	◎	◎	◎	◎		◎	◎	◎	◎		◎	◎	◎			
70			◎	◎	◎		◎	◎								○	
75	◎	◎	◎	◎	◎	○	◎	◎	◎	◎	◎	◎	◎	◎	○		○
80		◎	◎	◎	◎		◎	◎									
90	◎	◎	◎	◎	◎		◎	◎	◎	◎	◎	◎	◎	○			
100	◎	◎	◎	◎	◎	○	◎	◎	◎	◎	◎	◎	◎	◎	○	○	○
110			◎	◎	◎		◎	◎	◎	◎							
120			◎	◎	◎		◎					◎					

幅 (mm)	厚さ (mm)																
	3	4.5	6	9	12	14	16	19	22	25	28	32	36	38	40	45	50
125	◎	◎	◎	◎	◎		◎	◎	◎	◎	◎	◎	○	○			
130				◎	◎		◎	◎									
140				◎	◎		◎	◎									
150	◎	◎	◎	◎	◎		◎	◎	◎	◎	◎	◎	○	○	○		
160			◎	◎	◎		◎	○									
165			◎	◎	◎		◎										
170			◎	◎	◎		◎	◎									
175			◎	◎	◎		◎	◎									
180			◎	◎	◎		◎	◎	◎	◎							
190			◎	◎	◎		◎										
200		◎	◎	◎	◎		◎	◎	◎	◎	◎	◎	○				
210					◎		◎	○	◎								
230			◎	◎	◎		◎										
240			◎	◎	◎		◎										
250			◎	◎	◎		◎	◎	◎	◎	○	◎					
285				○	○												
280					◎		◎										
300			◎	◎	◎		◎	◎	◎	◎	○	◎					
350				◎	◎		◎	◎	◎	◎							
400				○	○		◎	◎	◎	◎	○						

### 平鋼(S50C)

幅 (mm)	厚さ (mm)																	
	6	9	12	13	16	19	25	32	38	45	50	55	65	75	85	95	105	115
9																		
13																		
16																		
19	○	○																
20																		
22																		
25	○	○	○		○	○												
32	○	○	○		○	○	○											
38	○	○	○		○	○	○	○										
44																		
50	○	○	○		○	○	○	○	○	○								
55							○	○	○	○								
60																		
65	○	○	○		○	○	○	○	○	○	○	○						
70																		
75	○	○	○		○	○	○	○	○	○	○	○	○					
80																		
90	○	○	○		○	○	○	○	○	○	○	○	○	○				
100	○	○	○		○	○	○											
105				○	○	○	○	○	○	○	○	○	○	○	○			
110																		
120																		
125		○																
130				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
140																		

幅 (mm)	厚さ (mm)																	
	6	9	12	13	16	19	25	32	38	45	50	55	65	75	85	95	105	115
150																		
155		9.5		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
160																		
165																		
170																		
175																		
180																		
185				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
190																		
200																		
210				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
230										○	○	○	○	○				
240																		
250																		
260				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
285																		
280																		
300																		
310				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
350																		
360				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
400																		
410				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
460				○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
510							○	○	○	○	○	○	○	○	○	○	○	○

# 丹羽鋼業 在庫表

## 平鋼

◎=常時在庫 ○=取り扱い可能 空欄=メーカー確認いたします。お問合せください。  
表に載っていないサイズについてもお気軽にお問合せください

改定日:2023/10/01

### SM・SN平鋼

	SM 490A	SN 400B	SN 490B
6x50	○		
6x170		○	
9x25	○	○	◎
9x32			○
9x38	○		
9x50	○		
9x60	○	○	
9x70	○	○	
9x80	○	○	○
9x150		○	
9x170	○	○	○
9x175		○	
9x200	○	○	○
9x290	○	○	○
12x25			○
12x32	○		○
12x50	○		
12x80	○	○	○
12x100	○	○	○
12x110	○	○	○
12x125		○	
12x170	○	○	
12x200	○	○	○
12x250	○	○	○
12x290	○	○	○
12x300	○	○	○

	SM 490A	SN 400B	SN 490B
16x50	○		
16x60	○		
16x80	○		○
16x90	○		
16x100	○		○
16x110	○	○	○
16x170	○		
16x250	○	○	○
16x290	○		○
16x300	○		○
16x350	○		
16x400	○		
19x50	○		
19x65	○		
19x90	○		
19x100	○		○
19x110	○	○	○
19x140	○		○
19x170	○		○
19x250	○		
19x300	○	○	○
19x350	○		○
19x400	○		○

	SM 490A	SN 400B	SN 490B
22x100	○		
22x110	○		○
22x140	○		○
22x170	○		○
22x300	○		○
22x350	○		○
22x400	○		○
25x100	○		
25x110	○		○
25x140	○		○
25x170			○
25x300	○		○
25x350	○		○
25x400	○		○
28x110	○		○
28x140			○
28x300	○		

### めっき平鋼

幅 (mm)	厚さ (mm)			
	3	4.5	6	9
19	◎			
25	◎	○	○	○
32	◎	◎	◎	◎
38	◎	◎	◎	◎
44			○	
50	◎	◎	◎	◎
65			◎	◎
75		○	◎	◎
90			○	○
100	○	○	◎	◎
125			◎	○
150				○

### 酸洗平鋼

3x9	○
3x19	○
3x25	○
3x32	○
3x38	○
3x60	○
4.5x25	○
4.5x32	○
4.5x38	○
6x22	○
6x25	○
6x32	○
6x38	○
6x44	○
6x50	○

### 片開先平鋼

	SS 400	SN 490B
9 x 25	○	○

### カラー平鋼

	SS 400
6 x 50	○

### IB

5×3×25	◎
5×3×32	◎
5×3×38	◎
5×3×44	◎
7×4×50	◎
7×4×55	◎
7×4×60	◎
7×4×65	◎
7×4×75	◎
7×4×90	○

### ノンスリップFB

3×19	◎
3×25	◎
3×32	◎
3×38	◎

### ノンスリップIB

5×3×25	◎
5×3×32	◎
5×3×38	◎
5×3×44	◎



丹羽鋼業株式会社 URL. www.niwa-samurai.co.jp

本社 愛知県名古屋市中川区篠原橋通り1-16 TEL. 052-351-2131 FAX. 052-353-5078  
四日市支店 三重県四日市市河原田町1515 TEL. 059-346-1115 FAX. 059-349-1119

鋼材加工技術Navi  
URL. kouzaikakou.com